

1953 ANNUAL INDEX

Volume 25—January to December

Author Index

A

- Albright, Stanley L.
"Designing Springs
Compression Springs," Sept., 134
Extension Springs," Oct., 222
Torsion Springs," Nov., 172
Allen, C. S. and Harris Shapiro—"Remote Rotational
Positioning," Apr., 243
Amos, Stephen E.—"Self-Adjusting Belt Guider," Nov.,
142
Archibald, Frank R.—"A Look at Hydrostatic Thrust
Bearings," Sept., 170
Ault, E. Stanley and William J. Graff, Jr.—"Numerical
Analysis of Damped Vibrating Systems," May, 169

B

- Baltrukonis, J. H.—"Design of Thin Cantilever Beams,"
July, 173
Baring, J. A.—"Control of Moving Webs," Sept., 151
Bayer, C. H. and W. L. Healy—"Simplified Drafting
Practice," May, 110
Bernhard, Rudolph K.—"Three-Mass Space Oscillator,"
June, 157
Bolz, H. A.—"Designing for Low Maintenance," Feb., 114
Bolz, Roger W.—"Processes and Costs," July, 112
Boner, C. J.—"Basic Properties of Lubricating Greases,"
May, 129
Briggs, A. C. and N. Sag—"Charts Simplify Hoisting
Drum Design," Apr., 265
Brooke, Eric—"Automatic Relay Control," Apr., 154

C, D, E

- Carlson, Richard M.—"Helicopter Drive Design," Aug.,
126
Christensen, L. M.—"Press-Extruded Forgings," July, 124
Daniloff, Michael—"Angle-True Motion," May, 153
Dooley, James L.—"High-Pressure Pneumatics," Apr., 237
Dunk, A. C. and A. S. Hall—"Four-Bar Linkages," Apr.,
233
Durelli, A. J. and R. L. Lake—"Stresses in Rotating
Parts," July, 128
Elrod, S. B.—"Simplified Pictorial Drawing," Mar., 128
Ernst, Walter—"Hydraulic Servo," Feb., 123

F, G

- Falk, E. B.—"Pros and Cons of Hydraulically Actuated
Clutches," Aug., 183
Felstein, Milton—"Providing Adequate Power in Com-
puter Drives," Jan., 156
Feng, R. H. and E. L. Richmond—"Graphical Methods
for Determining Beam Deflections," Sept., 177
Ferar, Montgomery and Carl W. Sundberg—"Styling with
Plastics," June, 155
Franck, Robert J.—"Evaluating Cast Design," Mar., 104
Freiberg, Leo and John L. Moody—"Packaged Power,"
Aug., 163
Gerla, M. K.—"Improving Fatigue Life," Jan., 171
Graff, William J. Jr. and E. Stanley Ault—"Numerical
Analysis of Damped Vibrating Systems," May, 169
Gray, Albert Woodruff
"Essentials of a Valid Patent," Sept., 147

- "Engineering License Laws," Oct., 137
Green, E. A.—"Simplicity—Key to Producibility," Nov.,
112
Greer, Edward M.
"Hydraulic Accumulators
Their Principles and Uses," Nov., 140
Nonseparator Designs," Dec., 248
Griffin, R. F.—"First Conference on Mechanisms: De-
signing Cams with the Aid of Computers," Dec., 209
Grodzinski, Paul—"Eccentric Gear Mechanisms," May, 141
Gunthorp, Seth—"Design of Glued Joints," Oct., 193
Gutman, Alfred S.—"Mechanical Linearizer," May, 175

H

- Hadekel, R.
"Hydraulic Control Systems
General Circuit Problems," Apr., 185
Open-Center Systems," May, 163
Pilot and Electrical Control," June, 168
Automatic-Sequence Systems," July, 159
"Swashplate Mechanisms," Feb., 141
Hall, Allen S.—"First Conference on Mechanisms: Mech-
anisms and Their Classification," Dec., 174
Hall, A. S. and A. C. Dunk—"Four-Bar Linkages," Apr.,
233
Hall, A. S. and A. R. Holowenko
"Cam Curvature
Reciprocating In-Line Flat Faced Follower," Aug., 170
Reciprocating Inclined Flat Faced Follower and Re-
ciprocating Roller Follower," Sept. 162
Oscillating Roller Follower, Flat-Faced Follower
and Reciprocating Roller Follower with Reciprocating
Cam," Nov., 148
Healy, W. L. and C. H. Bayer—"Simplified Drafting
Practice," May, 110
Hieber, George E.
"Hole Fits," Jan., 116
"Power Screws," Nov., 128
Holowenko, A. R. and A. S. Hall
"Cam Curvature
Reciprocating In-Line Flat Faced Follower," Aug., 170
Reciprocating Inclined Flat-Faced Follower and Re-
ciprocating Roller Follower," Sept., 162
Oscillating Roller Follower, Flat-Faced Follower and
Reciprocating Roller Follower with Reciprocating
Cam," Nov., 148
Holowenko, A. R.—"First Conference on Mechanisms:
Recognition and Treatment of Acceleration," Dec., 180
Holt, Clare—"Redesign for Economy," June, 164

K, L

- King, Robert—"Low Pressure Laminates," Mar., 112
Kinnard, I. F.—"Successful Product Design," June, 108
Kinney, Edward S.—"Magnetic Tape Drive," Oct., 219
Kraus, Charles E.—"New Approaches to Variable-Speed
Drives," Dec., 232
Kraus, R. A. and K. S. Rangasami—"Graphical Linkage
Analysis," June, 177
Lamb, V. A. and W. H. Metzger—"Designing Electro-
formed Parts," Sept., 124
Lake, R. L. and A. J. Durelli—"Stresses in Rotating
Parts," July, 128
Lane, John F.—"Perspective Drawing," Jan., 106
Lee, F. W. M.—"Simplified Limit System," Aug., 116

Longstreet, James R.—"First Conference on Mechanisms: Systematic Correlation of Motions," Dec., 215

M, N

- Malcolm, D. G. and G. L. Marshall—"Human Factors in Machine Indexing," Nov., 143
Mann, W. H.—"Torsional Deflection," Nov., 179
Marshall, G. L. and D. G. Malcolm—"Human Factors in Machine Indexing," Nov., 143
Martin, Louis D.—"Designing Instrument Gear Trains," May, 120
Marvin, Philip R.—"Developing New Products," Sept., 114
Menke, George M.
 "Gear Ratio Logarithms (Data Sheet)
 Part 1—Combinations of 16 to 120 Teeth," Feb., 177
 Part 2—Combinations for 121 to 150 Teeth," Mar., 173
Metter, Charles W.—"Reducing Costs Through Design," May, 158
Metzger, W. H. and V. A. Lamb—"Designing Electroformed Parts," Sept., 124
Millstone, Sidney D.
 "Electric Analogies for Hydraulic Analysis
 Tubing Characteristics," Jan., 166
 Applying Analogy Techniques," Feb., 131
Mills, Kenneth N.—"Selection and Application of Roller Bearings," Apr., 248
Modrowsky, Joseph—"Evaluating Moments of Inertia by Graphical Techniques," Aug., 185
Moody, John L. and Leo Freiberg—"Packaged Power" Aug., 163
Nickson, Philip T.
 "Linkage Design," July, 137
 "First Conference on Mechanisms: a Simplified Approach to Linkage Design," Dec., 196
Nightingale, James M.—"Analyzing Nonlinear Servos," Aug., 139

P, R

- Packer, Leo S.—"An Exact Computing Linkage," Sept., 171
Pajerie, M. J.—"Hard Vinyl Plastics," Dec., 169
Peyrebrune, H. E.—"First Conference on Mechanisms: Application and Design of Noncircular Gears," Dec., 185
Pike, Eugene W. and Thomas R. Silverberg—"Assigning Tolerances for Maximum Economy," Sept., 139
Piper, Richard S.—"Sealers as Engineering Materials," Oct., 158
Price, H. A.—"Acceleration Testing Centrifuge," Aug., 182
Rangasami, K. S. and R. A. Kraus—"Graphical Linkage Analysis," June, 177
Richmond, E. L. and R. H. Feng—"Graphical Methods for Determining Beam Deflections," Sept., 177
Roach, Arvid E.—"Centrifugal Pumps," June, 183
Roberts, R. W.—"Magnetic Amplifiers," Apr., 171
Roubal, A. J.—"Dry Rolling Bearings," June, 131
Rzeppa, A. H.—"Universal Joint Drives," Apr., 162
Rosenblatt, M. and D. F. Wilcock, "Nomographic Method for Sleeve Bearing Design," Aug., 143

S, T, U

- Sag, N. and A. C. Briggs—"Charts Simplify Hoisting Drum Design," Apr., 265
Saari, Oliver—"Designing Right-Angle Helical Gears," July, 145
Saelman, B.—"Designing Cylinders and Struts," Aug., 133
Sankey, G. O.—"Plastic Models for Vibration Analysis," May, 125
Saxon, A. F.—"Multistage Sealing," Mar., 170
Schack, William—"Plastics Extrusions," Mar., 145
Shainin, Dorian
 "Quality Control Methods—Their Use in Design
 Determining Practical Tolerances," Jan., 150
 Ascertaining Machine Capability," Feb., 160
 Trouble-Shooting Design Defects," Mar., 165

Operations Research," May, 176

- Shapiro, Harris and C. S. Allen—"Remote Rotational Positioning," Apr., 243
Sherwood, R. S.—"How to Prevent Oil Film Whirl in Journal Bearings," Dec., 163
Silverberg, Thomas R. and Eugene W. Pike—"Assigning Tolerances for Maximum Economy," Sept., 139
Sloane, W. W.
 "Controlling Inertia," July, 154
 "First Conference on Mechanisms: Utilizing Irregular Gears for Inertia Control," Dec., 193
Smedley, Carl R.—"Specification of Color in Finishes," Oct., 187
Soong, William E.—"Determining Moments of Inertia of Nonsymmetrical Components," May, 181
Sonneman, George—"Analyzing Beam Vibration," June, 123
Spector, Leo F.—"Applying Electric Heat," Dec., 142
Stamp, Robert J.—"Telescoping Tubes," Feb., 155
Stark, H. J.—"Plastic Ducting," July, 172
Stedfeld, Robert L.
 "A Designer's Guide to Vitreous Coatings Service Properties," Jan., 141
 Metal Selection, Processing and Design," Feb., 166
 "Design Properties of Materials,
 Properties and Design," Oct., 138
 Strength in Torsion," Nov., 161
Stoddart, David A.
 "Polydyne Cam Design
 Part 1," Jan., 121
 Part 2," Feb., 146
 Part 3," Mar., 149
Strasser, Federico—"Joining Stampings," Jan., 163
Strub, R. A.—"Spindle Drag Pump," July, 149
Sundberg, Carl W. and Montgomery Ferar—"Styling with Plastics," June, 155
Theilig, E. W.—"Synchronized Load Control," Dec., 221
Toulmin, H. A., Jr.—"What You Should Know About the New Patent Law," Oct., 215
Tripoli, Philip—"Predicting Casting Costs," June, 139
Tuplin, W. A.—"Dynamic Loads on Gear Teeth," Oct., 203
Uniechowski, S. R.—"Static Balancing," Oct., 229

V, W

- Vanden Berg, R. V.—"Finishes for Aluminum," Oct., 177
Vandeman, J. E. and J. R. Wood—"Modifying Starwheel Mechanisms," Apr., 255
Varnum, Edward C.—"Projecting Data," Mar., 123
Ward, M. V. and N. J. Wells—"Critical Design Factors for High-Strength Steels," Oct., 149
Wells, N. J. and M. V. Ward—"Critical Design Factors for High-Strength Steels," Oct., 149
Wilcock, D. F. and M. Rosenblatt—"Nomographic Method for Sleeve Bearing Design," Aug., 143
Wilson, George A., Jr.—"Deep-Hole Drilling," Aug., 178
Wilson, Warren E., "Clearance Design," Feb., 127
Wood, J. R. and J. E. Vandeman—"Modifying Starwheel Mechanisms," Apr., 255

Subject Index

A

- Abrasive belts, in turbine blade grinder, June 136
Acceleration, determination of, in mechanisms, Dec. 180
Acceleration testing, Sept. 206
Accumulators, hydraulic, design of, Dec. 248
 principles and uses, Nov. 140
Actuator, linear, uses ball screw, Dec. 426
Adhesives, Jan. 184; Feb. 188; July 224
 bonding metals with, Oct. 193
Alloys, high-temperature, selection of, Dec. 382
Aluminum and alloys, Apr. 348; May 253; June 192;

July 196; Oct. 234; Dec. 266
 for automobile radiators, July 184
 Amplifiers, Oct. 284, 404; Nov. 217, 232
 magnetic, Mar. 186; Dec. 298
 magnetic, for machine control, Apr. 171
 Analogies, electric, for hydraulic systems, Jan. 166; Feb. 131
 Analyzing metal wear, Nov. 266
 Arbor, locked by expansion, Sept. 122
 Automation, July 261; Dec. 254
 Axles, trailer, provide straight tracking, Dec. 162

B

Backlash eliminator, Apr. 316
 Balancer, electronic, Nov. 310
 Balancing, production, design for, June 330
 static, Oct. 229
 Bar machine, single-spindle automatic, Aug. 162
 Batteries, June 206; Nov. 236
 power-hauling unit, Sept. 192
 Beam deflection, determining graphically, Sept. 177
 Beam vibration, analysis of, June 123
 Beams, thin cantilever, design of, July 173
 Bearing alloy, Dec. 302
 Bearings, airframe control, May 168
 air lubricated, Apr. 272
 antifriction, cause radio interference, July 106
 ball, Mar. 185; June 208, 210; Nov. 213; Dec. 275, 282, 296
 hydrostatic thrust, July 122, 134; Sept. 170
 miniature, May 194; Dec. 318
 needle, July 208
 pivoted shoe for hydraulic pumps, Oct. 197
 rod-end, Nov. 214
 roller, May 246; Aug. 218; Sept. 218; Dec. 286
 roller, have increased capacity, Nov. 196
 roller, preloaded with set-screws, July 123
 roller, selection and application, Apr. 248
 sleeve, Jan. 115; Mar. 188; Sept. 346; Nov. 335
 sleeve, failure analysis, June 318
 sleeve, nomographic design of, Aug. 143
 sleeve, preventing oil film whirl in, Dec. 163
 sleeve, temperatures in, Sept. 150
 toggle-end, require no lubrication, June 131
 Bellows, Jan. 136
 Belts, abrasive, in turbine blade grinder, June 136
 conveyor, Apr. 366
 conveyor, serves 64 years, Sept. 108
 guider, self-adjusting, Nov. 142
 transmission, Feb. 202, 240; April 228; Sept. 228
 Bending, pipe and tube, June 133
 Bimetals, performance, fundamentals, Aug. 274
 Blowers, Jan. 177; Sept. 220
 Books, Jan. 214; Feb. 216; Mar. 211; Apr. 306; May 224; June 230; July 304; Aug. 334; Sept. 336; Oct. 442; Nov. 326; Dec. 418
 Boring, Oct. 416
 Brakes, Jan. 180; May 119; June 194; Sept. 176, 220
 for high inertia loads, June 240
 hysteresis, for tensioning, May 117
 solenoid-actuated, Oct. 201
 Brass (see copper and alloys)
 Brazing, Mar. 111; Oct. 286
 high temperature, Dec. 365
 Bronze (see copper and alloys)
 Burring machine, Nov. 304

C

Calculator, electronic, May 236, 238
 Cam and linkage produce motion in two planes, July 123

Cam curvature, Nov. 148
 Cam, disk, curvature design, Aug. 170
 Cam followers, Apr. 279
 design of, Sept. 162
 Cams, Oct. 450
 design of, Nov. 148
 design of, by polydyne method, Jan. 121; Feb. 146; Mar. 149
 designing, with computers, Dec. 209
 Capacitors, Feb. 195
 Carbide, cemented, Apr. 363
 Carbon disk seals valve, Dec. 162
 Casters, Dec. 294
 Casting machine, May 138
 Casting, continuous steel, Dec. 256
 Castings, design for economy, June 164
 die, simplify drill design, July 133
 ductile-iron, Sept. 146
 light alloy, used in chain saw, June 134
 permanent mold, Jan. 284; Mar. 111
 predicting costs of, June 139
 sand, Jan. 284
 sand, evaluating design of, Mar. 104
 sand, molds made automatically, Nov. 202
 sealed by synthetic resin, Sept. 204
 shell molded, Oct. 134
 Centrifuge for acceleration testing, Aug. 182
 Chain, conveyor, Jan. 186
 transmission, June 202; July 195, 196
 Circuit breakers, Apr. 353; Nov. 218, 228, Dec. 284
 air, low voltage, May 139
 hydraulic, June 116
 Circuits, packaged, May 118
 Clad metals, Apr. 276
 Clamps, Mar. 188; Sept. 121; Oct. 263
 cable, Feb. 189
 Cleaning, May 248; Dec. 136
 ultrasonic, Sept. 108
 Cleaning machine, Dec. 231, 408
 Clothes dryer, incorporates music-box, June 138
 Clutches, Feb. 193; 220; May 119; June 198, 204; July 195, 206; Aug. 207, 226, 346; Sept. 176, 348; Oct. 472
 all-steel, used in teletypewriter, Nov. 176
 constant-torque, Dec. 161
 electrodynamic, Apr. 161
 for helicopter drive, Aug. 126
 hydraulically actuated, Aug. 183
 magnetic fluid, Apr. 314
 magnetic overrunning, June 242
 oil-actuated multiple disk, June 282
 overrunning, July 312
 slip, Apr. 161, 319
 spring, May 234
 Clutch-pulley combination automatically takes up wear, Dec. 424
 Coatings (see also finishes)
 Coatings, protective, Mar. 180, 188; Oct. 244, 284; Nov. 226; Dec. 276, 322
 protective, vitreous, Jan. 141; Feb. 166
 Cobalt alloy, Dec. 284
 Collector rings, Aug. 208
 Columbium, Dec. 250
 Communication equipment, Oct. 404, 405
 Commutators, Sept. 216
 Component design, standardization of, Dec. 378
 Components, hydraulic, design for reliability, Sept. 266
 Compression springs, design of, Sept. 134
 Compressors, July 183
 Computer components, Oct. 240, 288, 404; Dec. 284
 Computer drives, design of, Jan. 156

Computer elements, magnetic decision, Sept. 110
 Computers, Oct. 240, 244; Nov. 196, 243; Dec. 138
 aid in designing cams, Dec. 209
 applying to machine control, Oct. 324
 electronic, Sept. 108, 186, 200, 202
 Connectors, electric, Jan. 180; Feb. 195, 196; Mar. 181;
 Apr. 279; May, 188; June 192; July 210; Aug. 220;
 Oct. 266, 276; Nov. 213, 214; Dec. 278, 300, 312
 Contactors, Apr. 284; Oct. 290; Dec. 280
 control wound rotor motors, Apr. 422
 Contacts, Oct. 264; Nov. 232
 Control assemblies, electric, Feb. 200; Mar. 181, 182
 Control, automatic spacing, Apr. 262
 differential pressure, pneumatic, Aug. 212
 Control systems, electric, July 206; Aug. 216
 electric, automatic relay, Apr. 154
 electric, coal loading, Apr. 182
 electric, display on wheels, July 188
 electric, for pumping system, June 176
 electric, rotational positioning, Apr. 243
 electronic, Aug. 222
 electronic, operates milling machine, Dec. 253
 electronic, regulate nuclear reactor, Sept. 188
 feedback, Apr. 386
 feedback, eliminate crane swing, Aug. 164
 feedback, for aircraft brakes, Aug. 125
 feedback, nonlinear, analysis of, Aug. 139
 for flight testing, Sept. 206
 hydraulic, June 168
 hydraulic, July 159; Dec. 221
 hydraulic, design of, Apr. 185
 hydraulic, design of, May 163
 hydraulic, electrical and pilot control, June 168
 moving webs, Sept. 151
 pneumatic, May 187, 192, 198
 pneumatic, for high pressures, May 174
 pneumatic, for jet engines, July 182
 prevent vehicle skids, Sept. 108
 Controls, automatic, Nov. 182
 cable, minimize backlash, Nov. 125
 mechanical, Sept. 220
 photoelectric, Oct. 280
 pneumatic, Jan. 178
 Converter, frequency, Dec. 274
 Conveyors, Feb. 202; Mar. 192; May 262; Nov. 188
 for passenger transportation, June 255
 Convertiplane, Sept. 198
 Copper and alloys, Feb. 245; Aug. 229; Dec. 286, 324
 continuous-cast shapes, June 129
 Corrosion, measurement of, Aug. 196
 Corrosion-resistant alloys, May 151, 253
 Cost control through design, July 112
 Cost reduction, designing for, May 158
 Counters, Jan. 192, 194; Feb. 194, 197; Mar. 183, 192;
 Sept. 218; Oct. 278, 280, 293
 decade, Sept. 110
 Couplings, can be used as manual clutch, June 238
 for angular positioning, May 234
 shaft, Feb. 191; Mar. 184; May 190; Aug. 123, 212;
 Sept. 346; Nov. 335
 shaft, damp torsional vibration, July 312
 shaft, magnetic, Dec. 424
 shaft, prevent torque reversals, July 308
 Cylinders, hydraulic, Mar. 190, 192; July 198, 210; Aug.
 209
 hydraulic, eliminate bulldozer pushbeam, July 132
 hydraulic, have floating piston rods, Nov. 124
 hydraulic, used in casting machine, May 138
 maximum strength, design for, Aug. 133
 Cylinders, pneumatic, Mar. 186; June 200; July 216; Nov.
 212
 pneumatic, operates index table, May 136

D

Data, projecting, Mar. 123
 Deflection, torsional, finding, Nov. 179
 Dehumidifiers, July 135
 Design, of successful products, June 108
 Dials, Aug. 232
 Diaphragms, June 206
 Differentials, July 194
 Domestic machines, Sept. 313; Oct. 405, 408; Dec. 250,
 398
 Drafting equipment, Jan. 139; May 208; June 212, 214,
 216; July 228, 232, 235; Aug. 189, 240, 248; Sept. 235,
 245, 248; Oct. 294, 302; Nov. 248, 315; Dec. 332, 336,
 340
 Drafting, importance of, Sept. 272
 Drafting practice simplified, May 110
 Drafting room equipment, Feb. 204; Mar. 194
 Drafting room supplies, Feb. 204
 Drawing, July 267
 new method for, June 264
 pictorial, simplified, Mar. 128
 Drawings, engineering, perspective, Jan. 106
 Drill, electric hammer, Aug. 158
 Drilling, Feb. 140; Oct. 418; Nov. 310
 deep-hole, Aug. 178
 Drive, drilling hoist, Sept. 176
 dual power, July 121
 Drives, adjustable-speed, Mar. 190; Apr. 316; May 202,
 206; June 204; July 196; Aug. 124, 210, 224; Nov.
 213; Dec. 289
 adjustable speed, metal-to-metal friction type, Dec. 232
 computer, design of, Jan. 156
 constant speed, magnetic tape, Oct. 219
 helicopter, Aug. 126
 intermittent, Apr. 160
 roller-gear, June 202
 V-belt, helicopter, Apr. 180
 Drums, hoisting, design of, Apr. 265
 Dynamic loading of gears, Oct. 203
 Dynamometers, Apr. 275

E

Electric analogies for hydraulic system analysis, Jan.
 166; Feb. 131
 Electric heaters, selection and application of, Dec. 142
 Electric vibrator powers pneumatic pump, Dec. 172
 Electric equipment (see specific type)
 Electric power units, packaged, Aug. 163
 Electroforming, design for, Sept. 124
 Electronic assemblies use cellular construction, Sept. 123
 Electronic circuits, modular design of, Nov. 126, 192, 194
 Electronic components, Feb. 195; June 200, 202, 208; July
 200; Aug. 189
 Electronic paging system, July 106
 Electroplating, Apr. 333
 Elevators, loads monitored automatically, Sept. 121
 operatorless, Sept. 110
 Engineering department (see Management or Drafting)
 Engineering drawings, perspective, Jan. 106
 Engineering license laws, Nov. 137
 Engines, Mar. 190; Apr. 288; May 190, 196; Aug. 216, 218;
 Oct. 264; Dec. 298
 diesel has triangular cylinder arrangement, Oct. 212
 diesel, use unified thread system, Dec. 230
 jet, June 246
 noise-eliminator for, Oct. 134
 Expansion-forming, July 178
 Extrusion, Nov. 186
 of intricate shapes, May 184
 of steel, Nov. 158
 Extrusions, Apr. 346
 plastics, Mar. 145
 straightening, June 258

F

Facilities, general, Oct. 242; Dec. 310
 Fan blades, Apr. 284
 Fasteners, bearing nut, Aug. 124
 blind, Oct. 263
 bolts, high strength, Oct. 382
 bolts, nuts, screws, Jan. 182; Mar. 187, 188; Apr. 316;
 May 189; June 190; July 194, 198, 200, 204, 208; Aug.
 212, 232; Oct. 268, 286; Nov. 212; Dec. 305
 insert, June 194; Oct. 286
 locking, July 208; Aug. 207; Sept. 212, 214; Dec. 305
 pin, Mar. 110, 180; June 200
 retaining rings, Mar. 172; May 194; June 206
 retaining rings, solve design problems, July 152
 rivet, May 189; Oct. 263
 spring-action, Sept. 158, 212, 228
 unified thread system, used in diesel engines, Dec. 230
 washers, Apr. 274
 Fatigue life, improving by design, Jan. 171
 Feeders, Jan. 190; Apr. 286; June 196
 Felt, Aug. 214
 Fiber ducts replace sheet metal, Sept. 131
 Filters, Jan. 178, 194; Feb. 197; May 187; June 198; July
 204; Aug. 210, 214; Nov. 226, 236; Dec. 254
 Finishes, fire retardant, Oct. 132
 for aluminum, June 281
 plated, Dec. 138
 Finishes, protective, May 237, 240; June 188; July 200;
 Aug. 200; Sept. 206; Nov. 190; Dec. 282, 300
 protective, testing, July 106
 Finishing machine follows irregular contour, Nov. 157
 Fits, tolerances and limits for, Aug. 116
 Fittings, pipe, tube and hose, Jan. 186; Feb. 188, 193;
 Apr. 274, 278, 319; May 192, 204, 230; June 194, 200;
 July 195, 198; Aug. 206, 212, 222, 226; Oct. 270, 276,
 284; Nov. 218, 223; Dec. 274, 275, 280
 Flame-cutting, three dimensional, Oct. 227
 Fluid couplings, May 202; Oct. 454
 Fluid Power Association organized, July 186
 Followers, flat faced, for disk cams, Aug. 170
 Forging, Feb. 225, 230, 293; Nov. 188
 by press-extrusion, July 124
 Forgings, large, design of, Oct. 334
 Form rolling, Feb. 226
 Forming, Oct. 240, 248, 414, 416
 contour, limitations of, Aug. 284
 Friction materials, pressed-in, eliminate rivets, Sept. 120
 Fuse, hydraulic, Apr. 320

G

Gages, pressure, etc. (see also instruments), Mar. 98;
 Apr. 275; Sept. 108; Oct. 273; Nov. 228; Dec. 266
 strain, Aug. 244
 strain, applying in design, Dec. 389
 Gaging, X-ray, May 162
 Gas turbines, Sept. 186
 Gaskets, June 210; Aug. 218
 for severe service, Sept. 108
 Gear ratios, logarithms of, Feb. 177; Mar. 173
 Gear testing, torque loader for, Sept. 175
 Gears, Jan. 156; Feb. 177; Aug. 191; Oct. 132
 adjustable backlash takeup, Oct. 199
 designing for instruments, May 120
 drive boom hoist, June 115
 dynamic loading of, Oct. 203
 evaluating lubrication of, June 304
 for helicopter drive, Aug. 126
 irregular, for inertia control, Dec. 193
 irregular, in shaker conveyors, July 154

MACHINE DESIGN—December 1953

noncircular, application and design of, Dec. 185
 produce varying velocity, May 141
 right-angle helical, design of, July 145
 scoring of, Apr. 402
 shot-peening, Sept. 294
 worm, designing, July 248
 worm, for shockfree transmission, June 238
 Generators, electric, Feb. 198, 220; June 210; Oct. 280,
 426
 Glass, Feb. 165
 Glassfabric-plastics laminates, Mar. 112
 Glass fiber, Apr. 286; June 104; Aug. 232
 used in heater ducts, Nov. 200
 Glued joints, design of, Oct. 193
 Governors, Apr. 276
 control limit switches, Dec. 430
 Grinder, surface, has special bearing, Aug. 161
 Grinding, Feb. 136; Apr. 341; June 102; Nov. 310
 turbine blades, June 136
 Grommets, Jan. 180
 Guided missiles, July 182
 Guided missile test range, Sept. 196

H

Hack saw, machine, Nov. 160
 Hammer drill, electric, Aug. 158
 Heating and ventilating machines, Dec. 398, 400
 Heat treating, Jan. 140; July 181
 Heat treating machine, Dec. 408
 Heat exchangers, July 200; Oct. 273; Dec. 136
 Heaters, Mar. 100; May 244; Aug. 210; Oct. 278; Nov.
 230; Dec. 276
 electric, selection and application of, Dec. 142
 Heat-resistant alloys, July 106
 Helicopter, drive for, Aug. 126
 Helicopters for airplane pickup, May 236
 Helicopter with four-bladed rotor, Aug. 200
 High-strength steel, design factors for, Oct. 149
 High-temperature alloys, selecting, Dec. 382
 Honeycomb materials, for aircraft, Aug. 192
 Hose, metallic, Apr. 338; Aug. 234; Sept. 216, 218, 222
 nonmetallic, Feb. 194; Mar. 180, 192; June 190; July
 195; Aug. 224; Dec. 278
 Human engineering, Sept. 110
 Human factors, in design, Dec. 374
 in machine indexing, Nov. 143
 Hydraulic analysis, electric analogies for, Jan. 166; Feb.
 131
 Hydraulic equipment, see specific type
 Hydraulic equipment, design of, Dec. 350
 Hydraulic fluid, non-inflammable, Oct. 244
 Hydraulic servo, redesigned, Feb. 123
 Hydraulic steering systems, Apr. 428

I

Induction heating, May 260
 Inertia, control of, July 154
 determining moments of, May 181
 moments of, evaluating graphically, Aug. 185
 Inspection, Sept. 246; Oct. 430; Dec. 136
 Instrument dials, July 208
 Instruments, Mar. 181; May 191, 198, 202; June 194; Oct.
 262; Nov. 213, 218, 230, 246
 gear design for, May 120
 scales, design of, Nov. 264
 shaft-damping, June 242
 total flow rate, Nov. 146
 Insulation, Apr. 354; Oct. 288; Nov. 212
 electrical, Aug. 196, 239
 Interferometer, uses electron beam, Sept. 202

Irregular gears for inertia control, Dec. 193
Isotopes used in inspection, Sept. 194

J, K, L

Jet power unit drives boats, July 177
Knobs, Oct. 273
Latches, Apr. 277, 283
 flush, Dec. 226
Lathes, automatic, Aug. 160
 copying, June 135
Leather, Nov. 234
Licensing engineers, Nov. 137
Limits, simplified system of, Aug. 116
Linearizer, mechanical, May 175
Linkages, computing, Sept. 171
 design of, July 137
 design of a simplified approach to, Dec. 196
 four-bar, design of, Apr. 233
 graphical analysis of, June 177
 used in shaker conveyor, July 154
Lubricants, Apr. 274; May 204, 206; June 198, 206; Sept.
 218; Oct. 278
 greases, properties of, May 129
 molybdenum disulphide, July 284
 solid, Nov. 272
 synthetic, Jan. 174
 synthetic, for high velocities, Nov. 284
Lubrication, air, of bearings, Apr. 272
Lubrication equipment, Jan. 178; Apr. 278; July 214, 220;
 Aug. 206; Nov. 214, 218
Lubrication, gear, evaluating, June 304
Lubrication system, steam drop-hammer, Apr. 158

M

Machine automatically counts and stacks, Nov. 171
Machine indexing, human factors in, Nov. 143
Machine, indexing, packaged, Nov. 147
Machine leveling with strain gages, June 117
Machine tools, Dec. 252
 design of, June 186
Machine, ultrasonic, Dec. 260
Machinery exports reach new high, Sept. 204
Machines, special, Aug. 138
Magnesium and alloys, reduced production of, June 284
Magnets, Sept. 202; Dec. 138
Maintenance equipment, Sept. 313
Maintenance, low, design for, Feb. 114
Management, engineering, Jan. 106, 116, 150; Feb. 160;
 Mar. 128; Apr. 370; Sept. 113, 114, 192; Nov. 182,
 194, 294; Dec. 136, 256, 262
 responsibility to engineering, Aug. 302
 steps to advancement, Sept. 272
Manifold, resists vibration, Sept. 200
Materials, behavior under thermal loads, Oct. 364
 handling, Apr. 326; Sept. 314; Oct. 408, 410, 412; Nov.
 302
Materials handling machines, Dec. 402
 new, designing with, Oct. 314
 properties of, Oct. 138; Nov. 161
 selecting and specifying, Aug. 292
Mechanisms Conference, July 178; Nov. 186
Mechanisms, cams, disk, design of, Aug. 170
 classification of, Dec. 174
 determining acceleration in, Dec. 180
 eccentric gear, May 141
 first conference on, Sept. 188
 first conference on, transactions of, Dec. 173
 for connecting parallel shafts, May 153
 maintain tension, May 233
 produce non-linear rotation, May 175
 starwheel, design of, Apr. 255
 swashplate, Feb. 141
 switching, controls liquid level, Dec. 160

Metals (see specific type)

Metalworking, Sept. 317; Oct. 414, 424
Metalworking machines, Dec. 402, 403, 406
Milling, Nov. 306, 308, 312
Milling machines, Dec. 402
Milling machine, cuts in both directions, May 140
 controlled by tape recorder, Dec. 253
Molding Machine, Dec. 408
Moments of inertia, determining, May 181
 evaluating graphically, Aug. 185
Motions, systematic correlation of, Dec. 215
Motors, electric:
 adjustable-speed, Aug. 124
 brakemotors, July 206; Aug. 209
 design of, May 300
 fractional and integral hp, Feb. 196, 200, 268; Apr. 276;
 May 194; June 206; July 210; Aug. 210, 214; Sept.
 186, 213, 225; Nov. 212, 226, 234; Dec. 262, 274, 278,
 282
 fractional and integral hp, meet latest NEMA stand-
 ards, Nov. 204
 fractional and integral hp, rerated by NEMA, Sept. 184
 frames for, Aug. 239
 gearmotors, Jan. 192; Feb. 188, 193; Mar. 180, 183;
 June 188; July 206; Aug. 207; Oct. 266, 282
 molded commutators, for, Oct. 202
 power bull-dozer, June 281
 simplify power transmission, Sept. 160
 subfractional hp, Jan. 194; Mar. 185; Apr. 286; May
 186, 189; June 188, 210; July 194; Sept. 225, 232;
 Oct. 270; Dec. 312, 320
 subfractional, instantaneous reversal, Aug. 342
 timing, Jan. 184; July 218; Aug. 229
 wind-tunnel drive, Sept. 190
Motors, hydraulic, Jan. 182
 for engine starting, Oct. 200
Motors, pneumatic, Apr. 364; Oct. 286
Mountings, Nov. 228
 vibration and shock, June 208; July 196, 222; Aug.
 206; Sept. 232; Oct. 456; Nov. 238
 vibration and shock, for instruments, Dec. 428
Nameplates, Apr. 282; Dec. 286
Noise control, July 183
Nomographs, for evaluating moments of inertia, Aug. 185
 for sleeve bearing design, Aug. 143
Noncircular gears, design and application of, Dec. 185
Nickel and alloys, Nov. 182
Nickel-cadmium batteries, Oct. 132

O, P

Office equipment, Nov. 312
Oscillograph records 14 channels, Sept. 138
Packings, Aug. 198; Sept. 216; Oct. 263, 264
 floating, seal pneumatic valves, July 121
Patent law, Oct. 215
Patents, valid, Sept. 147
Personnel, engineering, recognition of, Aug. 302
Photocopy contest, Nov. 204
Photography, high speed, Nov. 282
Pictorial drawing, simplified, Mar. 128
Pilotlights, Dec. 300
Pipe, Sept. 214
 plastic, Dec. 280
Pipe bender, Nov. 306
Piston rings, Sept. 348; Oct. 424
Plant equipment, Oct. 424; Nov. 315, 318; Dec. 406
Plastic hydraulic pump, Oct. 199
Plastic-metal laminate, Dec. 305
Plastics, Jan. 177, 186, 270; Apr. 282; May 137; June
 102, 198; Aug. 200, 216; Sept. 212; Oct. 286, 280, 290;
 Nov. 220; Dec. 136, 252, 258
 hard vinyl, Dec. 169
 improve spinning units, June 114

in gear couplings, Aug. 123
 reinforced, Mar. 142
 sheet used in ducting, July 172
 sintered nylon, July 181
 storage tanks, Sept. 192
 styling with, June 155
 seal castings, Sept. 204
 tape, for lettering, Aug. 122
 teflon, application in design, July 274
 teflon, change volume at room temperature, July 177
 teflon, protect conveyed products, July 184
 toughening, July 108
 use increasing, Sept. 200
 Plastics extrusions, Mar. 145
 Plastics molding, May 253
 Plastics-glass fabric laminates, Mar. 112
 Plastics plugs, Sept. 232
 Plugs, Apr. 283
 plastic, Sept. 232
 Pneumatic equipment (see specific type)
 Pneumatic receivers, high-pressure, Apr. 237
 Portable tools, Oct. 428
 Potentiometers, Apr. 277, 284; May 200; July 224; Oct. 273; Nov. ?
 Powder metal, Jan. 137; Apr. 328; Sept. 202
 impregnant pores of parts, June 256
 Power steering, Oct. 228
 hydraulic, Apr. 428
 mechanical, Apr. 183
 Power units, packaged, Aug. 163
 Press interlocked safety guards, Dec. 246
 Press, hydraulic, May 150
 Press produces building board, Sept. 132
 Printed circuits, July 108
 produced by photo etching, July 184
 for electronic assemblies, Sept. 284
 Processes, their effect on costs, July 112
 Processing equipment, Sept. 327
 Producibility, achieved by simplification, Nov. 112
 Product design, June 108
 Product development, Sept. 114
 Properties of materials, Oct. 138; Nov. 161
 Pulley-clutch combination automatically takes up wear, Dec. 424
 Pulleys, (see also sheaves) May 191; Sept. 230, 346
 Pumps, Mar. 178, 186; Apr. 280, 282, 364; June 192, 198, 204; July 195, 202, 210; Oct. 270; Nov. 220, 223
 all plastic, Oct. 199
 for viscous fluids and high pressures, July 149
 use no seals, July 135
 centrifugal, June 183
 electromagnetic, Mar. 178
 electromagnetic, for molten metal, Dec. 138
 filter, Apr. 275
 high-pressure, design of, Feb. 185
 hydraulic, Feb. 194; Apr. 319; May 190, 192; July 204, 206, 214; Aug. 208, 220, 222, 342, 346; Sept. 213, 344
 hydraulic, control system for, Dec. 221
 hydraulic, variable piston displacement, Dec. 159
 pneumatic, Jan. 178; Apr. 288; Aug. 344; Sept. 225, 344
 pneumatic, vibrator powered, Dec. 172
 positive displacement, clearance design in, Feb. 127

Q, R

Quality control, Jan. 150; Feb. 160; Mar. 165; May 176
 Reactor, nuclear, Nov. 200
 Recorders, Oct. 405
 "stretch" data, July 106
 use aluminum tape, Nov. 156
 Rectifiers, Mar. 182; May 188; June 188

Reducers, speed, Feb. 198; May 200; July 202, 208, 220; Sept. 214, 218, 222; Oct. 268
 cooled by convection tubes, Dec. 160
 Regulators, pneumatic, Apr. 320
 pressure, Aug. 236; Sept. 212
 temperature, Nov. 226
 Relays, Jan. 184; Feb. 190; Mar. 183, 187; Apr. 275, 277, 283; May 206; June 200, 202, 210; July 196, 200; Sept. 212, 213, 214, 222; Oct. 262, 270, 280; Nov. 217, 226; Dec. 302, 308
 magnetic, in control systems, Apr. 154
 Research and development, Jan. 171, 196, 264, 276; Feb. 154, 191, 204, 206, 234, 238, 283; Mar. 123, 149, 194, 196; Apr. 290, 292, 294, 324, 325, 348, 358; May 187, 208, 210; June 212, 214; July 228, 230, 232, 236, 238, 241; Aug. 242, 244; Sept. 138, 235, 240, 242, 246, 250, 252; Oct. 293, 294, 297, 300, 302, 304; Nov. 184, 190, 198, 236, 240, 244, 246; Dec. 136, 326, 328, 330, 332, 334, 338
 source of neutrons for, July 179
 Rheostats, Feb. 190, 192; Mar. 182, 185; May 188, 196; June 204
 Resistors, Feb. 195; Mar. 110
 Rubber, Feb. 246; Mar. 98; Apr. 279; May 248; Dec. 284, 320
 high temperature in heater ducts, Nov. 200
 Rubber molding, July 224

S

Safety, design for, Aug. 142
 Saw, cut-off, Dec. 223
 Screws, ball, power, Aug. 226
 design and application of, Nov. 128
 dual drive, July 308
 for reciprocating motion, May 233
 Sealers, as engineering materials, Oct. 158
 Sealing shafts at high temperature and pressure, Mar. 170
 Seals, Jan. 177; Apr. 280; May 204; Aug. 222; Sept. 230; Dec. 275, 324
 design for reliability, Sept. 266
 diaphragm, for high pressures, June 238
 for journal bearings, July 308
 mechanical, Feb. 222; June 198, 210; July 202; Sept. 228; Oct. 456; Nov. 223; Dec. 426
 Selsyns synchronize 3-D projectors, June 244
 Servo, hydraulic, design, Feb. 123
 Servomechanisms, nonlinear, analyzing, Aug. 139
 Servo-systems, Nov. 223
 Shaft and hole tolerances, Jan. 116
 Shafts, finding torsional deflection, Nov. 179
 flexible, adapter, Dec. 275
 fluid ejection of, Sept. 122
 sealing at elevated temperatures and pressures, Mar. 170
 Shapes, continuous-cast, June 129
 Shearing, July 178; Oct. 418
 Shell molding machine has simplified controls, Dec. 247
 Shock absorbers, Oct. 450
 Simplicity, key to producibility, Nov. 112
 Solenoids, Aug. 209; Oct. 278; Dec. 322
 Space Flight, May 284
 Spinning, July 267
 Spring materials, May 186
 Springs, Mar. 109; Oct. 270
 constant force, meter cable, Apr. 184
 design of, Sept. 134; Oct. 222
 hydraulic, Dec. 292
 largest constant force, July 188

1953 Annual Index

mounting, flat plate, Nov. 127
 torsion, designing, Nov. 172
 Sprockets, Jan. 188; Mar. 185; June 202; July 204, 216; Aug. 216
 Spotwelding, design for, Feb. 157
 Stamping, Jan. 163; Feb. 188, 191; Nov. 234, 304, 312
 Stamping press for automobile frames, July 184
 Stampings, joining, Jan. 163
 Standardization of aircraft components, Dec. 378
 Starters, motor, May 191, 192, 198; Aug. 207, 224; Sept. 228; Oct. 268
 portable for jet engine, Sept. 198
 Static balancing, Oct. 229
 Steel, Feb. 245; June 208; July 183; Oct. 234
 chromium replaces nickel-bearing, June 118
 high-strength, design factors for, Oct. 149
 stainless, Feb. 305; July 218; Aug. 206; Oct. 236
 stainless, improved by rare-earth additions, Sept. 196
 Strain gages, applying in design, Dec. 389
 Stress analysis of rotating parts, July 128
 Struts, tubular, design for maximum strength, Aug. 133
 Styling of water coolers, Aug. 159
 Styling with plastics, June 155
 Switches, Jan. 182; Feb. 192, 194, 195, 196; Mar. 183, 186; Apr. 276, 282, 288; June 190, 192, 194, 204, 208; July 194, 202, 208; Aug. 208, 214, 216, 234; Sept. 213, 216, 220, 225, 228; Oct. 262, 264, 266, 276, 282; Nov. 223; Dec. 276, 278, 286, 294, 300
 commutating, Nov. 214
 Switches, governor controlled, Dec. 430
 use nylon parts, June 117
 Switches control liquid level, Dec. 160
 Swivel joints, June 196
 Systems, hydraulic, Oct. 426
 hydraulic, electric analogies for, Jan. 166; Feb. 131

T

Tachometers, Oct. 297
 Tantalum, Dec. 250
 Tape, stamped, for lettering, Aug. 122
 Teletypewriter, redesigned, Nov. 176
 Terminals, Apr. 284; May 196, 202; Aug. 214; Oct. 276, 288
 Testing, Sept. 250; Oct. 246, 248, 252, 430, 432; Nov. 184, 188, 198; Dec. 136, 260, 264
 acceleration, Sept. 206
 acceleration, centrifuge for, Aug. 182
 aircraft structures, Sept. 184
 using pressure vessel, Sept. 190
 Testing machines, Dec. 410
 Test range, guided missile, Sept. 196
 Thermostats, Jan. 184, 190; Mar. 182, 184; Apr. 242; May 200; July 224; Aug. 218; Sept. 213; Oct. 264, 286; Dec. 289
 Threading, Oct. 416
 Timers, Apr. 278, 280, 283, 292, 294; May 186; June 196; Aug. 246; Oct. 278; Nov. 217, 220, 234, 240; Dec. 282
 Tires, low pressure, May 237
 Titanium, Oct. 252, 254
 cast, shapes, Oct. 132
 resists corrosion, June 298
 resists galvanic corrosion, July 188
 Titanium research lab., Sept. 192
 Toggle mechanism for indexing, May 136
 Tolerance assignment, Sept. 139
 Tolerances, hole and shaft, Jan. 116
 simplified system of, Aug. 116
 Tools, pneumatic, use interchangeable units, Dec. 224
 Torque converters, Jan. 178; Apr. 159; Sept. 222; Oct. 454

Torsional deflection, finding, Nov. 179
 Torsional locking eliminates set-screws, July 120
 Torsion springs, designing, Nov. 172
 Trainer, flight, Aug. 194
 Transformer, Feb. 202; Nov. 228
 Transmissions, helicopters, Aug. 126
 helicopter, uses v-belts, Apr. 180
 variable-speed, Apr. 278; May 187, 188
 Tubing, Feb. 155, 200; May 186; Oct. 278, 284; Nov. 204
 high-strength, design for, Aug. 133
 nickel used in transducer, July 179
 spiral, for high pressure, Aug. 125
 telescoping, Feb. 155
 Tubing expander, Nov. 306
 Tungsten, Apr. 274
 Turbine blade grinder uses abrasive belts, June 136
 Turbine with variable area nozzles, Oct. 198
 Turbines, gas, Dec. 250, 251
 Turning, May 260; Oct. 414, 416; Nov. 308, 310

U, V

Universal joints, Feb. 189; Nov. 332
 constant velocity, design of, Apr. 162
 Valves, May 191, 198, 200, 204; June 192, 196, 202, 208; July 186; Aug. 229; Sept. 232; Oct. 266, 452; Nov. 217, 218, 220, 228, 230, 332; Dec. 274, 276, 278, 280, 284, 315
 performance analysis, Sept. 196
 Valves, sealed by carbon disk, Dec. 162
 electromagnetic, Apr. 314
 Hydraulic, Jan. 115, 188, 190, 194; Mar. 181, 187; Apr. 277; May 189, 190, 194, 206, 230; June 190; July 198, 212; Aug. 210, 212, 214, 218, 222, 344; Sept. 214, 220, 225, 230, 348; Oct. 263, 276, 454; Nov. 214, 238; Dec. 282, 286, 428
 hydraulic, for automatic pressure control, June 240
 hydraulic, design for reliability, Sept. 266
 needle, May 234
 pneumatic, Jan. 180, 190; Apr. 286; May 196, 230; June 188, 190, 200; July 202, 204, 214, 219; Aug. 208, 212, 222; Sept. 222, 225; Oct. 268, 273, 276; Nov. 213, 214; Dec. 275, 310
 pneumatic, controlled by wobble-rod, Nov. 125
 pneumatic, controls tape dispenser, July 136
 Vents, for low temperature units, Aug. 232
 oil breather, Aug. 207
 Vibration analysis, plastic models for, May 125
 Vibration, beam, analysis of, June 123
 Vibrating system analysis, May 169
 Vibration damper, viscous, Dec. 430
 Vibrator, powered by loudspeaker, June 260
 Vibrators, May 238
 for electron tubes, Aug. 157
 use revolving weights, June 157
 Viscosity, new standard for, Aug. 194
 Vitreous coatings, designer's guide to, Jan. 141; Feb. 166

W, Z

Water coolers, styling, Aug. 159
 Wear analysis, Nov. 266
 Webs, control of moving, Sept. 151
 Welding, Jan. 114; Sept. 110; Nov. 202, 308; Dec. 252, 262
 spot, design for, Feb. 157
 Welder, spot, portable, July 106
 Wheels, Aug. 220
 Wire and wire products, Nov. 238
 Wiring, machine, Apr. 160
 Zirconium, Apr. 324; May 250

